

VOLUME 10, 1983

Author Index / Index des auteurs

- Abdel-Sayed, G., see Hafez, H., 287.  
Abdel-Sayed, G., see Hafez, H., 654.  
Adams, B.J., see Haith, D.A., 558.  
Ahmadi, G., and Glockner, P.G. Collapse by ponding of pneumatic elastic spherical caps under distributed loads, 740.  
Aitcin, P.-C., see Bedard, C., 600.  
Akhras, G. FORTRAN—should this be the engineer's computer language?: Discussion, 555.  
ASCE, CSCE, and ICE. Planning and the civil engineer: Reviewed by M.C. Ircha, 179.  
Bakht, B., and Jaeger, L.G. Bridge aesthetics, 408.  
Bakht, B., and Jaeger, L.G. Effect of vehicle eccentricity on longitudinal moments in bridges, 582.  
Bakht, B., see Kennedy, J.B., 627.  
Baktash, P., Marsh, C., and Pall, A. Seismic tests on a model shear wall with friction joints, 52.  
Banerjee, P.K., and Shaw, R.P. Developments in boundary element methods — 2: Reviewed by Ed Skiba, 332.  
Basham, P.W., see Heidebrecht, A.C., 670.  
Beaulieu, D., see Picard, A., 69.  
Bedard, C., et Aitcin, P.-C. A la recherche d'un béton de 150 MPa, 600.  
Berry, M.J., see Heidebrecht, A.C., 670.  
Bewtra, J.K., see McCorquodale, J.A., 9.  
Birkemoe, P.C., see Davison, T.A., 125.  
Bjorhovde, R. Headed shear stud connectors in a stub-girder floor system: a preliminary study: Discussion, 165.  
Bouthillier, P., see Institution of Civil Engineers, 326.  
Bouthillier, P.M. Hydraulic tables for water supply and drainage: Reviewed by M.C. Quick, 330.  
Bradshaw, T.J., see Institution of Civil Engineers, 558.  
Bryan, E.R., see Davies, J.M., 331.  
Bulmanis, N.S., Latos, H.A., and Keenan, F.J. Improving the bearing strength of supports of light wood trusses, 306.  
Burgess, A.S., see Ingold, T.S., 777.  
Burgess, A.S., see Selvadurai, A.P.S., 329.  
Calkins, D.J. Ice jams in shallow rivers with floodplain flow, 538.  
Chapman, D.T. Mixing efficiency as estimated by nonlinear least squares, 703.  
Chau, T.S., see Magalhaes, L., 549.  
Chiu, E.T.-C., see Korol, R.M., 248.  
Chiu, E.T.-C., see Korol, R.M., 261.  
Choate, P., and Walter, S. America in ruins: beyond the public works porkbarrel: Reviewed by M.C. Ircha, 180.  
Chua, K.L. A simplified approach to calculating storage pond volumes, 312.  
Côté, B. Modélisation de fermeture des cours d'eau: Discussion, 170.  
Cowley, J.E., see Thorn, R.B., 325.  
CSCE, see ASCE, 179.  
Davies, J.M., and Bryan, E.R. Manual of stressed skin diaphragm design: Reviewed by Teoman Pekoz, 331.  
Davison, T.A., and Birkemoe, P.C. Column behaviour of cold-formed hollow structural steel shapes, 125.  
Denison, P., see Plate, E.J., 330.  
Dhatt, G., et Touzot, G. Une présentation de la méthode des éléments finis: Critique par René Tinawi, 176.  
Drouin, M., see Ouellet, Y., 681.  
Dubelsten, P., see Keenan, F.J., 466.  
Dumontell, P. Hétérogénéité des aciers de construction et calcul aux états-limites, 350.  
Eid, B.M., and Zemell, S.H. Dynamic analysis of a suspended pump in a vertical well connected to the ocean, 481.  
Ellyin, F. Nonlinear response and stability of structures, 27.  
Elsayed, E.E.M. Thermocline drawdown above cooling water intakes: Reply, 162.  
El Shahawi, M., see Rizkalla, S.H., 566.  
Foschi, R.O. Duration of load effects in lumber. Part I: A fracture mechanics approach. Part II: Experimental data. Part III: Code considerations: Discussion, 317.  
Fraser, D.J. Evaluation of effective length factors in braced frames, 18.  
Galay, V.J. Some hydrotechnical problems related to the construction of a causeway in the estuary of the Petitcodiac River, New Brunswick: Discussion, 169.

- Ghosh, R.S., and Mustard, J.N. Winter concreting in Canada, 510.
- Gillott, J.E., see Loov, R.E., 649.
- Glockner, P.G., see Ahmadi, G., 740.
- Gordon, J.L. Powerhouse concrete quantity estimates, 271.
- Grace, N.F., see Kennedy, J.B., 384.
- Hafez, H., and Abdel-Sayed, G. Finite element analysis of soil - steel structures, 287.
- Hafez, H., and Abdel-Sayed, G. Soil failure in shallow covers above flexible conduits, 654.
- Haith, D.A. Environmental systems optimization: Reviewed by Barry J. Adams, 558.
- Hamdy, Y.S., see McCorquodale, J.A., 9.
- Harris, P.J., see Wing, P.C., 295.
- Hart, G.C. Uncertainty analysis, loads, and safety in structural engineering: Reviewed by Carl Turkstra, 173.
- Haug, M.D., and Kozicki, P. Selection criteria for slurry trench cutoffs, 527.
- Hay, D., see Sharp, J.J., 781.
- Heidebrecht, A.C., Basham, P.W., Rainer, J.H., and Berry, M.J. Engineering applications of new probabilistic seismic ground-motion maps of Canada, 670.
- Hosain, M.U., see Rezanoff, T., 167.
- Houde, J., et Meilleur, S. Adaptation des procédés stéréologiques à la mesure des bulles d'air et des fissures dans le béton, 415.
- Humar, J.L. Interactive graphics in structural analysis, 396.
- Hwang, L.S., see Rizkalla, S.H., 566.
- ICE, see ASCE, 179.
- Imam, E.H., see McCorquodale, J.A., 9.
- Ingold, T.S. Reinforced Earth: Reviewed by A.S. Burgess, 777.
- Institution of Civil Engineers. Fatigue in offshore structural steels: Reviewed by T.H. Topper, 173.
- Institution of Civil Engineers. Transport and energy: Reviewed by W.F. Johnson, 174.
- Institution of Civil Engineers. Dams and earthquake: Reviewed by L. Wolofsky, 182.
- Institution of Civil Engineers. Restoration of sewerage systems: Reviewed by P. Bouthillier, 326.
- Institution of Civil Engineers. Severn Barrage: Reviewed by R.G. Tanner, 333.
- Institution of Civil Engineers. Hydraulic modelling in maritime engineering: Reviewed by W. A. McLaren, 335.
- Institution of Civil Engineers. Vertical drains: Reviewed by T.J. Bradshaw, 558.
- Institution of Civil Engineers and Institution of Structural Engineers. Reinforced and prestressed masonry: Reviewed by G. Suter, 779.
- Institution of Structural Engineers, see Institution of Civil Engineers, 779.
- Ircha, M.C., see ASCE, 179.
- Ircha, M.C., see Choate, P., 180.
- Ircha, M.C., see Task Force on Revenue Shortfall, 180.
- Jaeger, L.G., see Bakht, B., 408.
- Jaeger, L.G., see Bakht, B., 582.
- Jaeger, L.G., see Mufti, A.A., 556.
- James, W., see Skempton, A.W., 324.
- Janarthanan, N., see Sargious, M.A., 695.
- Jeppson, R.W. Analysis of flow in pipe networks: Reviewed by G.F. Round, 175.
- Johns, K., and Madsen, B. Duration of load effects in lumber. Part I: A fracture mechanics approach. Part II: Experimental data. Part III: Code considerations: Reply, 320.
- Johnson, W.F., see Institution of Civil Engineers, 174.
- Jordaan, I.J., see Loov, R.E., 649.
- Kahawita, R., see Kougima, T., 369.
- Kahawita, R., see Wang, P., 116.
- Kamphuis, J.W. On the erosion of consolidated clay material by a fluid containing sand, 223.
- Kamphuis, J.W., and Moir, J.R. Ice breakup and jamming observations along the Mackenzie River, 78.
- Keeler, R.D., and Rizkalla, S.H. Rapid erection of a concentrate loading facility using precast concrete in a remote location, 456.
- Keenan, F.J., see Bulmanis, N.S., 306.
- Keenan, F.J., Dubelsten, P., Klajnerman, T., and Kyokong, B. Strength interactions of finger joints and truss plate joints in light wood trusses, 466.
- Kennedy, J.B., and Bakht, B. Feasibility of waffle slabs for bridges, 627.
- Kennedy, J.B., and Grace, N.F. Load distribution in continuous composite bridges, 384.
- Kieffer, T.K., and Selby, K.A. Concrete placing productivity, 48.
- Kinkead, J.K., see McCorquodale, J.A., 9.
- Klajnerman, T., see Keenan, F.J., 466.
- Korol, R.M., Mirza, F.A., and Chiu, E.T.-C. An experimental investigation of double chord HSS trusses, 248.
- Korol, R.M., Mirza, F.A., and Chiu, E.T.-C. Predicting the behaviour of HSS double chord trusses — a comparison with test results, 261.

- Kougnima, T., et Kahawita, R. Étude de formation de vortex au voisinage de l'aspiration verticale inversée dans un puits de pompage, 369.
- Kouwen, N., and Mohsen, M.F.N. Increased sump capacity — A model study, 232.
- Kozicki, P., see Haug, M.D., 527.
- Kulak, G.L., see Montgomery, C.J., 192.
- Kulak, G.L., see Pinkney, R.B., 662.
- Kyokong, B., see Keenan, F.J., 466.
- Latos, H.A., see Bulmanis, N.S., 306.
- Lennox, W.C., see Logan, L.A., 437.
- Levitt, M. Precast concretes: materials, manufacture, properties and usage: Reviewed by V.M. Malhotra, 178.
- Logan, L.A., Lennox, W.C., and Unny, T.E. A residual noise model for streamflow prediction, 437.
- Loov, R.E., Gillott, J.E., Jordaan, I.J., and Shrive, N.G. Minimum cost design of sulphur concrete pavements, 649.
- Madsen, B., see Johns, K., 320.
- Madsen, B., and Sexsmith, R. Recent developments in timber engineering, 722.
- Madugula, M.K.S., Prabhu, T.S., and Temple, M.C. Ultimate strength of concentrically loaded cold-formed angles, 60.
- Magalhaes, L., and Chau, T.S. Initiation of motion conditions for shale sediments, 549.
- Malhotra, V.M., see Levitt, M., 178.
- Malhotra, V.M., see Popovics, S., 332.
- Marsh, C., see Baktash, P., 52.
- Massiera, M., et Pelchat, C. L'utilisation de matériaux naturels pour la construction du barrage OA-5 sur la rivière Opinaca, 614.
- McBean, E., see Mulamootil, G., 450.
- McCorquodale, J.A., Imam, E.H., Bewtra, J.K., Hamdy, Y.S., and Kinkead, J.K. Transport of pollutants in natural streams, 9.
- McLaren, W.A., see Institution of Civil Engineers, 335.
- Meilleur, S., see Houde, J., 415.
- Mirza, F.A., see Korol, R.M., 248.
- Mirza, F.A., see Korol, R.M., 261.
- Mohsen, M.F.N., see Kouwen, N., 232.
- Moir, J.R., see Kamphuis, J.W., 78.
- Monaghan, B.A. Wastewater treatment plant, process control experiences using a minicomputer, 214.
- Montgomery, C.J., Kulak, G.L., and Shwartsburd, G. Deflections of a composite floor system, 192.
- Mufti, A.A., and Jaeger, L.G. FORTRAN — should this be the engineer's computer language?: Reply, 556.
- Mukherjee, S. Boundary element methods in creep and fracture: Reviewed by C.L. Tan, 780.
- Mulamootil, G., and McBean, E. Detention time—A key decision factor in controlling algal blooms in manmade lakes, 450.
- Murphy, D.F., and Yan, H.T. An anti-scour system for drilling rigs using airlift, 765.
- Murray, D.W., see Pinkney, R.B., 662.
- Mustard, J.N., see Ghosh, R.S., 510.
- Neill, C.R. Analysis of freeze-up ice jams on the Peace River near Taylor, British Columbia: Discussion, 323.
- Nicolopoulos, A. Current design procedures for steel-lined pressure tunnels, 150.
- Ouellet, Y., et Drouin, M. Étude en modèle réduit du problème de franchissement des vagues au quai de Chandler, Baie des Chaleurs, Québec, 681.
- Packer, J.A. Developments in the design of welded HSS truss joints with RHS chords, 92.
- Pall, A., see Baktash, P., 52.
- Palmer, M.D. Fecal coliform loadings from birds on bridges, 241.
- Pekoz, T., see Davies, J.M., 331.
- Pelchat, C., see Massiera, M., 614.
- Pernica, G. Dynamic live loads at a rock concert, 185.
- Picard, A., et Beaulieu, D. Calcul de la résistance pondérée en flexion des poutres à section mixte, 69.
- Pinkney, R.B., Stephens, M.J., Murray, D.W., and Kulak, G.L. Use of measured imperfections to predict the buckling of axially loaded cylindrical shells, 662.
- Plate, E.J. Engineering meteorology: Reviewed by Paul Denison, 330.
- Popovics, S. Fundamentals of Portland cement concrete. A quantitative approach: Reviewed by V.M. Malhotra, 332.
- Poumbouras, G., see Redwood, R.G., 713.
- Prabhu, T.S., see Madugula, M.K.S., 60.
- Pradolin, L., see Stafford Smith, B., 337.
- Quick, M.C. Sediment transport by waves and currents, 142.
- Quick, M.C., see Bouthillier, P.M., 330.
- Rainer, J.H., see Heidebrecht, A.C., 670.
- Redwood, R.G., and Poumbouras, G. Tests of composite beams with web holes, 713.
- Rezansoff, T., and Hosain, M.U. Headed shear stud connectors in a stub-girder floor system: a preliminary study: Reply, 167.
- Rizkalla, S.H., see Keeler, R.D., 456.
- Rizkalla, S.H., Hwang, L.S., and El Shahawi, M. Transverse reinforcement effect on cracking behaviour of R.C. members, 566.

- Roberts, A.G.**, see Thorn, R.B., 325.
- Rohan, K.** Modélisation de fermeture des cours d'eau: Réponse, 171.
- Rohan, K.** Coupure d'un canal de dérivation provisoire, 492.
- Round, G.F.**, see Jeppson, R.W., 175.
- Sargious, M.A., and Janarthanan, N.** Forecasting demand for the park-and-ride mode and determining the optimal location of stations, 695.
- Schriek, W.**, see Watters, G.Z., 778.
- Selby, K.A.**, see Kieffer, T.K., 48.
- Selvadurai, A.P.S.** Elastic analysis of soil – foundation interaction: Reviewed by A.S. Burgess, 329.
- Sexsmith, R.**, see Madsen, B., 722.
- Sharma, S.C.** Improved classification of Canadian primary highways according to type of road use, 497.
- Sharp, J.J.** Thermocline drawdown above cooling water intakes: Discussion, 162.
- Sharp, J.J.** Hydraulic modelling: Reviewed by Duncan Hay, 781.
- Shaw, R.P.**, see Banerjee, P.K., 332.
- Shi, Q., and Yager, S.** Case studies measuring the benefits of the HSS hump sequencing model, 36.
- Shrive, N.G.**, see Loov, R.E., 649.
- Shwartzburd, G.**, see Montgomery, C.J., 192.
- Skempton, A.W.** John Smeaton, FRS: Reviewed by William James, 324.
- Skiba, E.**, see Banerjee, P.K., 332.
- Smith, C.D.** Bend losses in drop inlet spillways, 1.
- Spiropoulos, I.**, see Zielinski, Z.A., 104.
- Stafford Smith, B., and Pradolin, L.** Composite design method for masonry walls on concrete beams, 337.
- Stephens, M.J.**, see Pinkney, R.B., 662.
- Suter, G.**, see Institution of Civil Engineers, 779.
- Tan, C.L.**, see Mukherjee, S., 780.
- Tanner, R.G.**, see Institution of Civil Engineers, 333.
- Task Force on Revenue Shortfall.** Revenue shortfall: the public works challenge of the 1980's: Reviewed by M.C. Ircha, 180.
- Temple, M.C.**, see Madugula, M.K.S., 60.
- Thorn, R.B., and Roberts, A.G.** Sea defence and coast protection works — a guide to design: Reviewed by J.E. Cowley, 325.
- Tinawi, R.**, see Dhatt, G., 176.
- Topper, T.H.**, see Institution of Civil Engineers, 173.
- Touzot, G.**, see Dhatt, G., 176.
- Tso, W.K.** A proposal to improve the static torsional provisions for the National Building Code of Canada, 561.
- Turkstra, C.**, see Hart, G.C., 173.
- Unny, T.E.**, see Logan, L.A., 437.
- Van Dalen, K.** The strength of stud shear connectors at low temperatures, 429.
- Waller, D.H.** Upstream – downstream: Rights and responsibilities, 362.
- Walter, S.**, see Choate, P., 180.
- Wang, P., and Kahawita, R.** A two-dimensional numerical model of estuarine circulation using cubic splines, 116.
- Watters, G.Z.** Modern analysis and control of unsteady flow in pipelines: Reviewed by W. Schriek, 778.
- Waylen, P.R., and Woo, M.-k.** Stochastic analysis of high flows in some Central British Columbia rivers, 205.
- Waylen, P.R., and Woo, M.-k.** Stochastic analysis of high flows generated by mixed processes, 639.
- Wing, P.C., and Harris, P.J.** Eccentrically loaded bolted beam connections, 295.
- Wolofsky, L.**, see Institution of Civil Engineers, 182.
- Woo, M.-k.**, see Waylen, P.R., 205.
- Woo, M.-k.**, see Waylen, P.R., 639.
- Yager, S.**, see Shi, Q., 36.
- Yan, H.T.** Concrete crib structures, 748.
- Yan, H.T.**, see Murphy, D.F., 765.
- Zemell, S.H.**, see Eid, B.M., 481.
- Zielinski, Z.A., and Spiropoulos, I.** An experimental study on the uniaxial and biaxial flexural tensile strength of concrete, 104.

